



SUSQUEHANNA RIVER BASIN COMMISSION

4423 North Front Street • Harrisburg, Pennsylvania 17110-1788

(717) 238-0423 Phone • (717) 238-2436 Fax

www.srbc.net

Docket No. 20220623

Approval Date: December 17, 2021

Modification Date: July 13, 2022

CHESAPEAKE APPALACHIA, L.L.C.

Surface Water Withdrawal (Peak Day) of up to 3.000 mgd from the Susquehanna River

Section 1. Approval

After review of the record, including the technical findings of Susquehanna River Basin Commission (Commission) staff, the Commission has determined that no significant adverse impacts are anticipated by the operation of this project as described and conditioned herein, the project is physically feasible, and does not conflict with or adversely affect the Commission's Comprehensive Plan. Accordingly, pursuant to 18 CFR § 806.18(e)(2) and in consultation with technical staff, the Executive Director hereby approves modification of the project described herein in accordance with the conditions set forth below.

This approval is a modification of Commission Docket No. 20211202 that was approved December 17, 2021. The project sponsor requested a change to the intake design and location to add a second, portable intake structure due to infrastructure limitations depending on water demand. The existing buried intake does not have the capacity for withdrawal of the approved increased withdrawal quantity and loses efficiency during low flow conditions. The withdrawal location in Section 3 and Conditions 2, 4, 6, 19, 25, 26, and 27 were updated to reflect this modification. All other conditions reflect the original approval.

This approval is a renewal and modification of Commission Docket No. 20170904 that was approved September 7, 2017, with a peak day withdrawal rate of 1.440 million gallons per day (mgd) and special flow protection requirements. The project sponsor has requested an increase in the peak day withdrawal and an associated increase in the instantaneous withdrawal rate. Following technical review, and consistent with applicable regulatory standards, Commission staff recommended approval at the requested increased rates of 3.000 mgd and 2,083 gallons per minute (gpm), herein referred to as the modified rates. Commission staff also recommended no special flow protection requirements consistent with current policy. This approval incorporates those recommendations.

Commission staff has coordinated with the Pennsylvania Department of Environmental Protection (PADEP), the Department of Conservation and Natural Resources (DCNR), and the Pennsylvania Fish and Boat Commission (PFBC) during review of this project.

Section 2. Project Information

Information concerning the project sponsor, water use type, and location are set forth in the table below.

Project Information	
Project Sponsor:	Chesapeake Appalachia, L.L.C.
Approval Type:	Surface Water Withdrawal
Past Docket No.:	20211202
Authorized Water Use Purpose:	Hydrocarbon Development and Related Incidental Uses
Municipality:	Terry Township
County:	Bradford County
State:	Pennsylvania

Section 3. Source Information

Information concerning the source of water from which the withdrawal will be made is set forth in the table below.

Source Information	
Approved Source:	Susquehanna River
Subbasin:	Middle Susquehanna
Watershed Boundary Dataset (WBD):	0205010605 (Upper Susquehanna River)
Water Use Designation:	Warm Water Fishery (WWF)
Withdrawal Location (degrees):	
1. Buried Intake	Lat: 41.690618 N Long: 76.276686 W
2. Portable Intake	Lat: 41.690945 N Long: 76.276270 W
Site Flow Statistics (cfs):	Q7-10 = 630; Average Daily Flow = 11,500
Impairment:	Mercury; Polychlorinated Biphenyls (PCBs)
Drainage Area (square miles):	8,248
Aquatic Resource Class*:	6
Special Flow Protection Required:	No
cfs – cubic feet per second	
* Refer to Commission Policy No. 2012-01 (Low Flow Protection Policy Related to Withdrawal Approvals)	

Section 4. Approved Withdrawal Quantities and Limitations

The withdrawal approved hereunder is subject to the quantitative limits and restrictions set forth in the table below.

Approved Withdrawal Quantities and Limitations	
Peak Day Withdrawal Amount (mgd):	3.000 (Not to Exceed)
Maximum Instantaneous Withdrawal Rate (gpm):	2,083 (Not to Exceed)

The withdrawal is also subject to all other conditions set forth in this docket approval.

Section 5. Standard Conditions

1. The project sponsor shall comply with all Commission regulations, 18 CFR Parts 801, 806, and 808. This project is subject to the Annual Compliance and Monitoring fee as specified in the Commission's Regulatory Program Fee Schedule, which may be modified over the term of the approval.

2. The project sponsor shall adhere to the revised metering plan reviewed and approved by Commission staff. Any modifications proposed for the metering plan shall be submitted for review and, if appropriate, approval by Commission staff in accordance with 18 CFR § 806.30. Modifications shall not be made until the project sponsor receives written approval of the amended plan.

3. The project sponsor shall maintain the totalizing meter and other flow and volume measuring devices, accurate to within five (5) percent, so as to provide an accurate record of withdrawals, and certify to the Commission once every five (5) years, or as otherwise requested, the accuracy of all measuring devices and methods to within five (5) percent of actual flow.

4. The project sponsor shall adhere to the revised intake design reviewed and approved by Commission staff. Any modifications proposed by the project sponsor for the permitted intake structure shall be submitted for review and, if appropriate, approval by Commission staff prior to undertaking such modification(s).

5. The project sponsor shall keep daily records of the project's withdrawal and shall report the data to the Commission quarterly, and as otherwise required, in the form and manner as prescribed by Commission staff. Quarterly monitoring reports shall be submitted online and are due within thirty (30) days after the close of the preceding quarter. Any alternative measuring, monitoring, or accounting procedure requested by the project sponsor shall be submitted for review and approval by Commission staff in accordance with 18 CFR § 806.30. Modifications shall not be made until the project sponsor receives written approval of the amended plan. All data collected and submitted as required under this approval shall be maintained by the project sponsor for the duration of the approval and all subsequent renewals.

6. Within sixty (60) days from notice of this modified approval, the project sponsor shall post an updated sign that meets Commission specifications and displays required project description information. Signage specifications can be found at the Commission's website (www.srbc.net), along with example sign templates for reference. The sign shall be maintained for the duration of the approval. Such sign shall be posted at the point of entry or access to the project facility from a public right-of-way. If there is any restriction to access at such point that would prevent an interested person from legibly viewing such sign, then the project sponsor shall post the sign at the nearest location to such point, along the route of ingress and egress to same, where an interested person would have unrestricted access to legibly view such sign. The project sponsor shall submit photographs as proof of installation of the updated sign.

7. The project sponsor or any other person representing the project sponsor shall allow authorized employees or agents of the Commission, without advance notice, at any reasonable time and upon presentation of appropriate credentials, and without delay, to have access to and to inspect all areas where the project is being constructed, operated, or maintained, or otherwise exercise all investigative powers authorized under 18 CFR § 808.12.

8. In accordance with 18 CFR § 806.30(b)(2), the project sponsor shall report violations of any withdrawal limits and any conditions of this approval within five (5) days of such violation or report loss of measuring or recording capabilities required under 18 CFR § 806.30(a)(1) within five (5) days after any such loss.

9. In accordance with 18 CFR § 806.6, if ownership of the project changes or if the project sponsor undergoes a name change, the project sponsor shall submit application for transfer or reissuance of all approvals to the Commission within ninety (90) days of the change in ownership or project sponsor name change.

10. The project sponsor shall comply with the water conservation requirements specified in 18 CFR § 806.25.

11. This approval is conditioned on the project sponsor maintaining legal access to the withdrawal location for the duration of the approval.

12. The project sponsor shall register with the appropriate agency all surface water sources described herein, as may be required by regulations of the member jurisdiction.

13. If the project sponsor fails to comply with the provisions of the Susquehanna River Basin Compact or any rule, regulation, or order of the Commission, or any term or condition of this docket, the project sponsor is subject to enforcement actions pursuant to 18 CFR Part 808.

14. Commission approval shall not be construed to exempt the project sponsor from obtaining and maintaining all necessary permits and/or approvals required for the project from other federal, state, or local government agencies having jurisdiction over the project. All such permits and/or approvals shall be obtained prior to the withdrawal of water. The Commission may modify, suspend, or revoke this approval if the project sponsor fails to obtain or maintain such permits and/or approvals.

15. The Commission may at any time reopen any project approval or issue such additional orders, as may be necessary, to mitigate or avoid adverse impacts or otherwise to protect public health, safety, welfare, or the environment, pursuant to 18 CFR § 806.32.

16. Commission approval confers no property rights upon the project sponsor. The securing of all rights necessary and incident to the project sponsor's development and operation of the project shall be the sole and exclusive responsibility of the project sponsor, and this approval shall be subject thereto.

17. This project is approved for inclusion in the Commission's Comprehensive Plan for the Water Resources of the Susquehanna River Basin.

18. The project sponsor is required to apply for and obtain approval prior to any increase in withdrawal that would exceed the amounts listed herein.

Section 6. Special Conditions

19. The date of the last meter certification for the buried intake was January 14, 2021; therefore, the next meter certification is due no later than January 14, 2026. Certification of meter accuracy shall be provided to the Commission no less frequent than once every five (5) years from the date of the last certification.

20. The project sponsor should adhere to recommendations provided by DCNR and PFBC in the September 16, 2021, Pennsylvania Natural Diversity Inventory (PNDI) response for avoiding adverse impact to documented occurrences of rare species at or in proximity to the project location. The documented species are sand cherry, elktoe mussel, triangle floater mussel, and green floater mussel.

21. Except as authorized pursuant to Special Condition 23, the project sponsor shall only supply water for use in hydrocarbon development to persons who have properly registered or received approval pursuant to 18 CFR § 806.22(f), as applicable.

22. The project sponsor shall keep daily records, and shall report the same to the Commission upon request, of all persons supplied water from the project for use in hydrocarbon development, including daily quantities supplied. The project sponsor also shall keep daily records, and shall report the same to the Commission upon request, of all persons supplied water from the project for uses other than hydrocarbon development authorized pursuant to Special Condition 23, including daily quantities supplied.

23. Prior to supplying water for any use not authorized pursuant to Section 2 of this approval, the project sponsor shall first submit a request for minor modification under 18 CFR § 806.18(c)(4) for such new use to the Executive Director. The project sponsor shall not supply water for such use unless and until such authorization is granted, and pursuant to any supplemental terms and conditions contained in such approval.

24. The project sponsor shall demonstrate to the satisfaction of the Commission that appropriate controls and treatment to prevent the spread of aquatic nuisance species are employed at the water withdrawal site.

25. Prior to initiation of withdrawal using the portable intake, the project sponsor shall install and maintain metering on the withdrawal in accordance with 18 CFR § 806.30 and the approved metering plan. The project sponsor shall notify the Commission, in writing, and submit photographs of the meter when it has been installed, provide the serial number of the meter, and certify the accuracy of the measuring device to within five (5) percent of actual flow. Withdrawals from the portable intake shall not commence until Commission staff has approved the implementation of the approved metering plan and notified the project sponsor of such approval.

Section 7. Term

26. This modified approval is effective immediately, and shall remain effective until December 31, 2026. As specified in 18 CFR § 806.31(e), if the project sponsor submits an application on or before June 30, 2026, the project sponsor may continue operation of this project pursuant to the terms and conditions of this approval until such time as the Commission acts on such application, or until otherwise notified by the Executive Director.

27. Commission Docket No. 20211202 is hereby superseded.

This modified approval is issued by the Executive Director pursuant to the authority set forth in 18 CFR § 806.18(e)(2).

Dated: July 13, 2022



Andrew D. Dehoff, Executive Director