



SUSQUEHANNA RIVER BASIN COMMISSION

4423 North Front Street • Harrisburg, Pennsylvania 17110-1788

(717) 238-0423 Phone • (717) 238-2436 Fax

www.srbc.net

Docket No. 20221204

Approval Date: December 15, 2022

CORNING INCORPORATED FACILITY: HEADQUARTERS

**Groundwater Withdrawal (30-Day Average)
of 1.440 mgd from Well 6A**

Section 1. Approval

After review of the record, including the technical findings of Susquehanna River Basin Commission (Commission) staff, the Commission has determined that no significant adverse impacts are anticipated by the operation of this project as described and conditioned herein, the project is physically feasible, and does not conflict with or adversely affect the Commission's Comprehensive Plan. Accordingly, the Commission hereby approves the renewal of the project described herein in accordance with the conditions set forth below.

The project sponsor maintains and operates a system to supply water for heating, ventilation, and air conditioning that includes two groundwater sources (Wells 6A and 9A). The project sponsor also maintains a service connection from the City of Corning for potable supply. Based on information provided by the project sponsor, no other sources are operated by the project and consumptive use is below the Commission's regulatory threshold.

The Commission previously approved the withdrawal of 1.440 million gallons per day (mgd) from Well 6A under Commission Docket No. 19981201. The project sponsor submitted a groundwater withdrawal renewal application requesting approval to withdraw up to 1.440 mgd from Well 6A. This approval authorizes continued withdrawals at the requested rate.

Commission staff has coordinated with the New York State Department of Environmental Conservation (NYSDEC) during review of this project.

Section 2. Project Information

Information concerning the project sponsor, water use type, and location are set forth in the table below.

Project Information	
Project Sponsor:	Corning Incorporated
Facility:	Headquarters
Approval Type:	Groundwater Withdrawal
Previous Docket No.:	19981201
Authorized Water Use Purpose:	Heating, Ventilation, and Air Conditioning and Related Incidental Uses
Municipality:	City of Corning
County:	Steuben County
State:	New York

Section 3. Source Information

Information concerning the source of water from which the withdrawal will be made is set forth in the table below.

Source Information	
Withdrawal Type:	Groundwater
Approved Source:	Well 6A
Subbasin:	Chemung
Watershed Boundary Dataset (WBD):	0205010504 (Chemung River)
Withdrawal Location (degrees):	Lat: 42.145425 N Long: 77.057894 W
Special Flow Protection Required:	No

Section 4. Aquifer Testing

Commission staff determined that sufficient data is available to complete the necessary hydrogeologic evaluation and approved an Alternative Hydrogeologic Evaluation (AHE) for Well 6A on October 28, 2022. In support of the AHE, the project sponsor provided the required groundwater availability analysis, historical withdrawal and water level data, the results of historical aquifer testing and recent operational testing, and analysis and comparison of current operational data to historical testing results. Commission staff determined that the withdrawal from Well 6A at the requested withdrawal rate should not cause permanent loss of aquifer storage, render competing supplies unreliable, or cause adverse impacts to the water resources of the basin.

Section 5. Approved Withdrawal Quantities and Limitations

The withdrawal approved hereunder is subject to the quantitative limits and restrictions set forth in the table below.

Approved Withdrawal Quantities and Limitations	
30-Day Average Withdrawal (mgd):	1.440
Maximum Instantaneous Withdrawal Rate (gpm):	1,000 (Not to Exceed)
Peak Day Withdrawal (mgd):	1.440
gpm – gallons per minute	

The withdrawal is also subject to all other conditions set forth in this docket approval.

Section 6. Existing Approved Withdrawals

Quantities applicable to the existing approved withdrawals are listed in the table below.

Existing Approved Groundwater Withdrawals			
Source	30-Day Average Withdrawal (mgd)	Commission Docket No.	Docket Expiration Date
Well 9A	1.440	20050601	June 8, 2030

Section 7. Grandfathering Determination – Withdrawals and Consumptive Use

The project did not utilize surface water withdrawals or groundwater withdrawals prior to November 11, 1995, or July 13, 1978, respectively.

The project did not consumptively use water prior to January 23, 1971.

Section 8. Standard Conditions

1. The project sponsor shall comply with all Commission regulations, 18 CFR Parts 801, 806, and 808. This project is subject to the Annual Compliance and Monitoring fee as specified in the Commission's Regulatory Program Fee Schedule, which may be modified over the term of the approval.

2. The project sponsor shall adhere to the metering plan reviewed and approved by Commission staff. Any modifications proposed for the metering plan shall be submitted for review and, if appropriate, approval by Commission staff in accordance with 18 CFR § 806.30. Modifications shall not be made until the project sponsor receives written approval of the amended plan.

3. The project sponsor shall maintain the totalizing meter and other flow and volume measuring devices, accurate to within five (5) percent, so as to provide an accurate record of withdrawals, and certify to the Commission once every five (5) years, or as otherwise requested, the accuracy of all measuring devices and methods to within five (5) percent of actual flow.

4. The project sponsor shall adhere to the groundwater elevation monitoring plan reviewed and approved by Commission staff for the sources listed in Sections 3 and 6. The project sponsor shall maintain and monitor the accuracy of the measuring devices in accordance with the manufacturer's specifications.

5. The project sponsor shall keep daily records of the project's withdrawal and groundwater elevations for the sources listed in Sections 3 and 6, and shall report the data to the Commission quarterly, and as otherwise required, in the form and manner as prescribed by Commission staff. Quarterly monitoring reports shall be submitted online and are due within thirty (30) days after the close of the preceding quarter. Any alternative measuring, monitoring, or accounting procedure, and any modifications proposed for the groundwater elevation monitoring plan, shall be submitted for review and approval by Commission staff in accordance with 18 CFR § 806.30. Modifications shall not be made until the project sponsor receives written approval of the amended plan. All data collected and submitted as required under this approval shall be maintained by the project sponsor for the duration of the approval and all subsequent renewals.

6. The project sponsor or any other person representing the project sponsor shall allow authorized employees or agents of the Commission, without advance notice, at any reasonable time and upon presentation of appropriate credentials, and without delay, to have access to and to inspect all areas where the project is being constructed, operated, or maintained, or otherwise exercise all investigative powers authorized under 18 CFR § 808.12.

7. In accordance with 18 CFR § 806.30(b)(2), the project sponsor shall report violations of any withdrawal limits and any conditions of this approval within five (5) days of such violation or report loss of measuring or recording capabilities required under 18 CFR § 806.30(a)(1) within five (5) days after any such loss.

8. In accordance with 18 CFR § 806.6, if ownership of the project changes or if the project sponsor undergoes a name change, the project sponsor shall submit application for transfer or reissuance of all approvals to the Commission within ninety (90) days of the change in ownership or project sponsor name change.

9. The project sponsor shall comply with the water conservation requirements specified in 18 CFR § 806.25.

10. This approval is conditioned on the project sponsor maintaining legal access to the withdrawal location for the duration of the approval.

11. The project sponsor shall register with the appropriate agency all groundwater sources described herein, as may be required by regulations of the member jurisdiction. The project sponsor shall also satisfy annual usage, capacity, and conservation reporting requirements in the form and manner prescribed by NYSDEC's Division of Water.

12. If the project sponsor fails to comply with the provisions of the Susquehanna River Basin Compact or any rule, regulation, or order of the Commission, or any term or condition of this docket, the project sponsor is subject to enforcement actions pursuant to 18 CFR Part 808.

13. Commission approval shall not be construed to exempt the project sponsor from obtaining and maintaining all necessary permits and/or approvals required for the project from other federal, state, or local government agencies having jurisdiction over the project. The foregoing shall include, but not be limited to, any applicable permitting requirements of NYSDEC. All such permits and/or approvals shall be obtained prior to the withdrawal of water. The Commission may modify, suspend, or revoke this approval if the project sponsor fails to obtain or maintain such permits and/or approvals. Furthermore, no water withdrawn by this project may be used in natural gas well development using High Volume Hydraulic Fracturing in New York State.

14. The Commission may at any time reopen any project approval or issue such additional orders, as may be necessary, to mitigate or avoid adverse impacts or otherwise to protect public health, safety, welfare, or the environment, pursuant to 18 CFR § 806.32.

15. Commission approval confers no property rights upon the project sponsor. The securing of all rights necessary and incident to the project sponsor's development and operation of the project shall be the sole and exclusive responsibility of the project sponsor, and this approval shall be subject thereto.

16. This project is approved for inclusion in the Commission's Comprehensive Plan for the Water Resources of the Susquehanna River Basin.

17. The project sponsor is required to apply for and obtain approval prior to any increase in withdrawal that would exceed the amounts listed herein.

18. The project sponsor is required to apply for and obtain approval prior to any increase in the total system withdrawal that would exceed the approved total system withdrawal limits listed herein.

19. If the Commission determines that the operation of the project's groundwater withdrawal adversely affects any existing groundwater or surface water withdrawal, the project sponsor shall be required to provide, at its expense, an alternate water supply or other mitigating measure.

Section 9. Special Conditions

20. The date of the last meter certifications was May 16, 2018; therefore, the next meter certifications are due no later than May 16, 2023. Certification of meter accuracy shall be provided to the Commission no less frequent than once every five (5) years from the date of the last certification.

21. Prior to supplying water for any use not authorized pursuant to Section 2 of this approval, the project sponsor shall first submit a minor modification application under 18 CFR § 806.18(c)(4) for such new use to the Executive Director. The project sponsor shall not supply water for such use unless and until such authorization is granted, and pursuant to any supplemental terms and conditions contained in such approval.


Section 10. Term

22. Due to the renewal application submittal and action being approximately one (1) year prior to the established expiration of Commission Docket No. 19981201, the standard term of this approval is extended by one (1) year. Therefore, this approval shall be effective January 1, 2023, and shall remain effective until December 31, 2038. As specified in 18 CFR § 806.31(e), if the project sponsor submits an application on or before June 30, 2038, the project sponsor may continue operation of this project pursuant to the terms and conditions of this approval until such time as the Commission acts on such application, or until otherwise notified by the Executive Director.

23. Commission Docket No. 19981201 shall remain effective through December 31, 2022, whereupon it shall expire.

CERTIFICATION: I, Jason E. Oyler, Secretary to the Susquehanna River Basin Commission, do hereby certify that the foregoing project docket was approved by the Susquehanna River Basin Commission on December 15, 2022.

Dated: December 16, 2022



Jason E. Oyler, Esq.